

Message

From: Wagner, Christine [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=12068C1889924ECF96F692831F0C77D4-CWAGNE02]
Sent: 4/30/2020 9:53:20 PM
To: [Nonresponsive based on revised scope]@WestonSolutions.com]
Subject: RE: Unvalidated Electronic Data for Shiloh Church Road, 48540

Oh, post-ex. That's why we did totals. I bet the golf course looks good with all this rain
Thank you!!

PS – You didn't have to respond so late. I generally do this kind of stuff late in the day b/c I don't get a bunch of stupid EPA calls. Don't feel obligated to respond the same night unless I indicate an urgent need

Thanks again
Chris

From: [Nonresponsive based on revised scope]@WestonSolutions.com>
Sent: Thursday, April 30, 2020 5:51 PM
To: Wagner, Christine <Wagner.Christine@epa.gov>
Subject: RE: Unvalidated Electronic Data for Shiloh Church Road, 48540

Hi Chris,

These are post excavation samples on Property 1 in the golf course/Area 7. These were also analyzed for PCBs.

Thank you,

[Nonresponsive based on revised scope]

Region III START Response Manager
WESTON SOLUTIONS, INC.
Cell: (860) 912-9892
Work: (610) 701-3171

[Nonresponsive based on revised scope]@WestonSolutions.com

From: Wagner, Christine [mailto:Wagner.Christine@epa.gov]
Sent: Thursday, April 30, 2020 17:26
To: [Nonresponsive based on revised scope]@WestonSolutions.com>
Subject: FW: Unvalidated Electronic Data for Shiloh Church Road, 48540

**** External Email ****

Dane

Can you help me identify this data set? I know it's metals, but it looks like it's from an area. By this time, we were not sampling areas for total metals, so it might be residential?? This one truly has me stumped

Thanks
Chris

You get to charge 15 more minutes!

From: Roberson, Sharon <Roberson.Sharon@epa.gov>

Sent: Thursday, October 31, 2019 2:44 PM

To: Wagner, Christine <Wagner.Christine@epa.gov>

Cc: [Nonresponsive based on revised scope] <@westonsolutions.com>; [Nonresponsive based on revised scope] <@WestonSolutions.com>

Subject: Unvalidated Electronic Data for Shiloh Church Road, 48540

Christine,

Attached you will find the unvalidated data for case 48540, SDG MC0AZ0 from Shiloh Church Road. Please contact Brandon McDonald at (410) 305-2607 or mcdonald.brandon@epa.gov if additional assistance is required.



Sharon Roberson | Chemistry Data Manager | 410-305-3037 | Roberson.Sharon@epa.gov
ICF | 701 Mapes Road, Fort Meade, MD 20755-5350

WARNING: External Email: This email originated outside of Weston Solutions. DO NOT CLICK on any links or attachments unless you recognize the sender and are expecting the email.

CONFIDENTIALITY: This email and attachments may contain information which is confidential and proprietary. Disclosure or use of any such confidential or proprietary information without the written permission of Weston Solutions, Inc. is strictly prohibited. If you received this email in error, please notify the sender by return e-mail and delete this email from your system. Thank you.